

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5258	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or remappable or remappable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:08
L2	1	1 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:09
L3	3301	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or remappable or remappable) (plural\$3 or multipl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:09
L4	3343	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or remappable or remappable) (plural\$3 or multipl\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:09

L5	651	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:09
L6	1	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl \$5) (identical or identity) (commit\$4 compensat\$3) with transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:11
L7	1	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl \$5) (identical or identity) (commit\$4 or lock\$3 or settl \$3) same (mitigat\$3 or compensat\$3) same transact \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:12

L8	10	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl \$5) (identical or identity) (commit\$4 or lock\$3 or settl \$3) same (mitigat\$3 or compensat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:12
L9	32	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl \$5) (identical or identity) (commit\$4 or lock\$3 or settl \$3) same (mitigat\$3 or compensat\$3 or invert\$3 or rever\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:12
L10	1	9 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:13
L11	65	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl \$5) (identical or identity) (commit\$4 or lock\$3 or settl \$3)(mitigat\$3 or compensat \$3 or invert\$3 or rever\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:14
L12	58	11 (transaction or command or instruction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:14

L13	1	12 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:15
L14	16	12 @ad<"20040128"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:15
L15	16	12 @ad<"20040125"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:16
L16	13	12 @ad<"20040125" not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:16
L17	64	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re- programmable or re- mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock \$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) (transaction or command or instruction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:17
L18	14	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re- programmable or re- mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock \$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) (transaction or command or instruction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:18

		@ad<"20040125" not 8				
L19	2	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock \$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) "707"/\$.ccls. @ad<"20040125" not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:18
L20	0	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock \$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) "707,714"/\$.ccls. @ad<"20040125" not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:19
L21	3	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock \$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) ("714"/\$.ccls. or "707"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:19

		@ad<"20040125"				
L22	3	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock\$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) ("705"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "707"/\$.ccls.) @ad<"20040125"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:20
L23	3	(function or method) with (roll\$3 near\$3 back or rollback or regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock\$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) ("705"/\$.ccls. or "711"/\$.ccls. or "714"/\$.ccls. or "707"/\$.ccls.) @ad<"20040125"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:21

L24	43	(unwind\$3 or roll\$3 near3 back or rollback or regress \$3 or revert\$3 or undo or undone or undoing or revers \$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock \$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) ("705"/\$ccls. or "711"/\$ccls. or "714"/\$ccls. or "707"/\$ccls.) @ad<"20040125"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:21
L25	43	(unwind\$3 or roll\$3 near3 back or rollback or regress \$3 or revert\$3 or undo or undone or undoing or revers \$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock \$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) ("705"/\$ccls. or "711"/\$ccls. or "714"/\$ccls. or "715"/\$ccls. or "707"/\$ccls.) @ad<"20040125"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:22

L26	43	(function or method or step or instruction) (unwind\$3 or roll\$3 near\$3 back or rollback or regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock\$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) ("705"/\$ccls. or "711"/\$ccls. or "714"/\$ccls. or "715"/\$ccls. or "707"/\$ccls.) @ad<"20040125"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:23
L27	36	(function or method or step or instruction or macro) same (unwind\$3 or roll\$3 near\$3 back or rollback or regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) same (plural\$3 or multipl\$5 or couple or triple or double) (identical or identity) (commit\$4 or lock\$3 or settl\$3)(mitigat\$3 or compensat\$3 or invert\$3 or rever\$4) ("705"/\$ccls. or "711"/\$ccls. or "714"/\$ccls. or "715"/\$ccls. or "707"/\$ccls.) @ad<"20040125"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 21:23

S1	0	direct near3 (function or method) with (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3) near3 (reusable or reused or recycl\$ or rexecut\$4) with (separate or different or distinct) near3 (transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:21
S2	0	direct near3 (function or method) with (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3) near3 (reusable or reused or recycl\$ or rexecut\$4) with (separate or different or distinct) with (transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:21
S3	0	(function or method) with (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3) near3 (reusable or reused or recycl\$ or rexecut\$4) with (separate or different or distinct) with (transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:21
S4	0	(function or method) with (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3) near3 (reusable or reused or recycl\$ or rexecut\$4) with (separate or different or distinct) with (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:30
S5	0	(function or method) with (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3) near3 (reusable or reused or recycl\$ or rexecut\$4) with (separate or different or distinct) same (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:30
S6	20	(function or method) with (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl\$ or rexecut\$4) with (separate or different or distinct) same (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:30

S7	3	(function or method) near7 (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl\$ or reexecut\$4) with (separate or different or distinct) same (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:30
S8	3	(function or method) near7 (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3) near7 (separate or different or distinct) same (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:31
S9	3	(function or method) near7 (undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) near7 (separate or different or distinct) same (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:34
S10	3	(function or method) near8 (revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl\$ or reexecut\$4 or re-execut\$3 or reprogrammable or re-programmable or re-mappable or remappable) near7 (separate or different or distinct) same (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:36

S11	4	(function or method) near8 (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) near7 (separate or different or distinct) same (command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:36
S12	4	(function or method) near8 (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) near7 (separate or different or distinct) same (instruction or command or transaction or operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:36
S13	12	(function or method) near8 (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) near3 (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) near7 (separate or different or distinct)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:37
S14	0	10/763526.apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:37
S15	1	10/763526.apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:37

S16	39	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) with (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) near7 (separate or different or distinct)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:38
S17	0	S16 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:39
S18	133	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) near7 (separate or different or distinct)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:39
S19	0	S18 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:39
S20	312	(function or method) with (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) with (separate or different or distinct)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:39
S21	0	S20 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:39

S22	5811	(function or method) same (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable) same (separate or different or distinct)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:40
S23	0	S22 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:40
S24	20119	(function or method) same (regress\$3 or revert\$3 or undo or undone or undoing or revers\$3 or invert\$3 or invers\$3 or back\$3) same (reusable or reused or recycl \$ or reexecut\$4 or re-execut \$3 or reprogrammable or re-programmable or re-mappable or remappable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:41
S25	2	S24 copeland.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2009/06/15 18:41

6/15/2009 9:31:50 PM

C:\Documents and Settings\jwong4\My Documents\EAST\Workspaces\copeland-c.wsp